

# *CAD/CAM (21-342)*

*Advanced Manufacturing Laboratory  
Department of Industrial Engineering  
Sharif University of Technology*

*Session # 6*



## *Course Description*

### ▪ *Instructor*

- *Omid Fatahi Valilai, Ph.D. Industrial Engineering Department, Sharif University of Technology*
- *Email: [FValilai@sharif.edu](mailto:FValilai@sharif.edu), Tel: 6616-5706*
- *Website: [Sharif.edu/~fvalilai](http://Sharif.edu/~fvalilai)*

### ▪ *Class time*


- *Saturday- Monday 10:30-12:00*

### ▪ *Course evaluation*

- *Mid-term (25%)*
- *Final exam (40%)*
- *Quiz (5%)*
- *Exercise (30%)*

## Course Description (Continued ...)

- **Mid-term session:**
  - Monday: 8<sup>th</sup> Ordibehesht 1393, 10:30 ~ 12:30
- **Final Exam:**
  - Saturday: 24<sup>th</sup> Khordad 1393, 15:00 ~ 17:30
- **Reference:**
  - Lee, Kunwoo; "Principles of CAD/CAM/CAE systems", 1999, Addison Wesley
  - Abouel Nasr, Emad; Kamrani, Ali K.; "Computer-Based Design and Manufacturing: An Information-Based Approach", 2007, Springer, New York
  - Benhabib, Beno; "Manufacturing: Design, Production, Automation, and Integration", 2003, Marcel Dekker Inc, New York
  - Radhakrishnan, P.; Subramanian, S.; Raju, V.; "CAD/CAM/CIM", 3rd edition, 2005, New age international (P) limited publishers, New York



Advanced Manufacturing Laboratory, Department of Industrial Engineering, Sharif University of Technology  
CAD/CAM (21-342), Session #6

3

## Course Description (Continued..)

- **Contents:**
  - Introduction to CAD/CAM/CAE systems (5 sessions)
  - Components of CAD/CAM/CAE systems (2 sessions)
  - Geometric modeling systems (3 sessions)
  - Optimization in CAD (5 sessions)
  - Rapid prototyping and manufacturing (3 sessions)
  - Virtual engineering (2 sessions)
  - Product Life Cycle Cost Model (2 sessions)
  - Computer-Based Design and Features/Methodologies of Feature Representations (5 sessions)
  - Feature-Based Process Planning and Techniques (3 sessions)
  - Collaborative Engineering (2 sessions)

Advanced Manufacturing Laboratory, Department of Industrial Engineering, Sharif University of Technology  
CAD/CAM (21-342), Session #6

5

## Course Description (Continued..)

### ▪ Contents:


- *Geometric modeling systems*
- *Wireframe modeling systems*
- *Surface modeling systems*
- *Solid modeling systems*
- *Non-manifold modeling systems*
- *Assembly modeling systems*

(3 sessions)

Advanced Manufacturing Laboratory, Department of Industrial Engineering, Sharif University of Technology  
CAD/CAM (21-342), Session #6

6


## Introduction to CAD/CAM/CAE systems




7

## Geometric modeling systems


- **Feature based modeling**
  - Enables the designer to model solids by using familiar shape units.
  - “a hole of a certain size at a certain place”
  - “a chamfer of a certain size at a certain place”
- Popular manufacturing features:
  - Hole
  - Fillet
  - Slot
  - Pocket
  - chamfer




(a)



(b)



(c)




(d)

Advanced Manufacturing Laboratory, Department of Industrial Engineering,  
CAD/CAM (21-342), Session #6

8

## Geometric modeling systems

- **Feature based modeling**
  - Feature-Based Design
    - Features can be seen as specific geometric shapes on a part that can be associated with certain fabrication processes.



Advanced Manufacturing Laboratory, Department of Industrial Engineering, Sharif University of Technology  
CAD/CAM (21-342), Session #6

9

## Geometric modeling systems

- *Feature based modeling*
    - *Feature-Based Design*
      - *Features have been commonly classified as*
        - *Form,*
        - *Material,*
        - *Precision,*
        - *and technological features.*
    - *It has been long advocated that if these features were highlighted during the modeling phase of a product's design process, in the subsequent*
      - *production-planning phases,*
- engineers could take advantage of this information in accessing historical data regarding the production of these features.*

## Geometric modeling systems


- *Feature based modeling*
  - *Feature-Based Design*
    - *The objective of design by features is :*
      - *To increase the efficiency of the designer during the geometric-modeling phase*
  - *To provide a bridge (mapping) to engineering-analysis and process-planning phases of product development.*

## Geometric modeling systems

### Feature based modeling

#### Feature-Based Design

- In feature-based design, parts' solid models are configured through a sequence of form-feature attachments (subtractions and additions) to the primary (base stock) representations of the parts, which can be as simple as a rectangular box.
- These features could be chosen from a library of predefined (and sometimes application dependent features) or could be extracted from the solid models of earlier designs.



Advanced Manufacturing Laboratory, Department of Industrial Engineering, Sharif University of Technology  
CAD/CAM (21-342), Session #6

12

## Geometric modeling systems

### Data Structures

- Trying to make a mathematical description of a solid geometry
  - CSG representation: a tree and the history of applying the Boolean operations
  - B-Rep: boundary information of a solid
  - Decomposition model: Aggregation of simple solids such as cubes




Advanced Manufacturing Laboratory, Department of Industrial Engineering, Sharif University of Technology  
CAD/CAM (21-342), Session #6

13

# Geometric modeling systems

## Data Structures

- CSG representation: a tree and the history of applying the Boolean operations



Advanced Manufacturing Laboratory, Department of Industrial Engineering, Sharif University of Technology  
CAD/CAM (21-342), Session #6

# Geometric modeling systems

## Data Structures



- CSG representation: a tree and the history of applying the Boolean operations

```

struct operator {
    int    op_type;      /* union, intersection or difference operator */
    L_type;             /* left node type: 0=operator, 1=primitive */
    R_type;            /* right node type: 0=operator, 1=primitive */
    void  *L_ptr;       /* left node */
    void  *R_ptr;       /* right node */
    void  *p_ptr;       /* parent node */
}
    
```

```

struct primitive {
    int    prim_type;   /* type of primitive */
    double pos_x, pos_y, pos_z; /* position of instance */
    double ori_x, ori_y, ori_z; /* orientation of instance */
    void  *attribute;  /* the value of dimensions of the primitive */
}
    
```



Sharif University of Technology

## Geometric modeling systems

### ▪ Data Structures

- *CSG representation: a tree and the history of applying the Boolean operations*
  - *It is simple and stores compact data*
  - *It always describe a valid solid*
  - *It can be easily converted*
  - *It supports the parametric modeling*
  - *It is limited by the defined Boolean operators (no lifting or other operator can be applied)*
  - *A great amount of computations is needed to discover the boundary information*

Advanced Manufacturing Laboratory, Department of Industrial Engineering, Sharif University of Technology  
CAD/CAM (21-342), Session #6

16


## Geometric modeling systems

### ▪ Data Structures

- *B-Rep: boundary information of a solid*
  - *The basic elements of the boundary are vertices, edges and faces*
  - *B-Rep needs to stores the abovementioned data and the interconnected information*

#### Three tables for storing B-Rep

Face Table		Edge Table		Vertex Table	
Face	Edges	Edge	Vertices	Vertex	Coordinates
F <sub>1</sub>	E <sub>1</sub> , E <sub>5</sub> , E <sub>6</sub>	E <sub>1</sub>	V <sub>1</sub> , V <sub>2</sub>	V <sub>1</sub>	x <sub>1</sub> , y <sub>1</sub> , z <sub>1</sub>
F <sub>2</sub>	E <sub>2</sub> , E <sub>6</sub> , E <sub>7</sub>	E <sub>2</sub>	V <sub>2</sub> , V <sub>3</sub>	V <sub>2</sub>	x <sub>2</sub> , y <sub>2</sub> , z <sub>2</sub>
F <sub>3</sub>	E <sub>3</sub> , E <sub>7</sub> , E <sub>8</sub>	E <sub>3</sub>	V <sub>3</sub> , V <sub>4</sub>	V <sub>3</sub>	x <sub>3</sub> , y <sub>3</sub> , z <sub>3</sub>
F <sub>4</sub>	E <sub>4</sub> , E <sub>8</sub> , E <sub>5</sub>	E <sub>4</sub>	V <sub>4</sub> , V <sub>1</sub>	V <sub>4</sub>	x <sub>4</sub> , y <sub>4</sub> , z <sub>4</sub>
F <sub>5</sub>	E <sub>1</sub> , E <sub>2</sub> , E <sub>3</sub> , E <sub>4</sub>	E <sub>5</sub>	V <sub>1</sub> , V <sub>5</sub>	V <sub>5</sub>	x <sub>5</sub> , y <sub>5</sub> , z <sub>5</sub>
		E <sub>6</sub>	V <sub>2</sub> , V <sub>5</sub>	V <sub>6</sub>	x <sub>6</sub> , y <sub>6</sub> , z <sub>6</sub>
		E <sub>7</sub>	V <sub>3</sub> , V <sub>5</sub>		
		E <sub>8</sub>	V <sub>4</sub> , V <sub>5</sub>		



f University of Technology

17



## *Geometric modeling systems*

- *Data Structures*
  - *B-Rep: boundary information of a solid*
    - *Curved faces and edges are problems*
    - *External and internal boundaries for faces are problems*
    - *Number of the edges for faces may be different*
    - *Deriving the information among the tables may be difficult*